

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1128	(manag\$ or control\$3) with access with (storage or data or file) adj server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:25
L2	98	(manag\$ or control\$3) with access with (storage) adj server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:30
L3	3	distributed adj file with server with database with (manag\$ or control\$4) with access and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:32
L4	30	distributed adj file with server with (manag\$ or control\$4) with access and process\$4 near2 request with client and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:37
L5	32	(manag\$ or control\$3) with access with server with (plural\$3 or multiple) with (data or file or storage) with (attribute or metadata) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:41
L6	0	(database or file) adj server with (plural\$3 or multiple) near2 (database or (data adj stor\$3)) with (manag\$3 or control\$3) with behalf and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:42
L7	94	(database or file) adj server with (plural\$3 or multiple) near2 (database or (data adj stor\$3)) with (manag\$3 or control\$3) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:43
L8	3	(database or file) adj server with (plural\$3 or multiple) near2 (database or (data adj stor\$3)) with (manag\$3 or control\$3) and intercept\$3 with process\$3 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:44
L9	0	(database or file) adj server with (plural\$3 or multiple) near2 (database or (data adj stor\$3)) with (manag\$3 or control\$3) with attribute and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:44
L10	1	(database or file) adj server with (plural\$3 or multiple) near2 (database or (data adj stor\$3)) with (manag\$3 or control\$3) with metadata and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:45

L11	0	(database or file) adj server with (plural\$3 or multiple) near2 (database or (data adj stor\$3)) with (manag\$3 or control\$3) with redirect\$3 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:45
L12	94	(database or file) adj server with (plural\$3 or multiple) near2 (database or (data adj stor\$3)) with (manag\$3 or control\$3) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:52
L13	44	(manag\$3 or control\$3) near2 (request or access) with distributed adj (file or database) with server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:57
L14	12	(manag\$3 or control\$3) near2 (request or access) with database adj server with retriev\$4 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:58
L15	11	database adj server with charge with access and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:59
L16	8	file adj server with charge with access and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:00
L17	126	database adj server.ab. and "705". clas. and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:02
L18	9	remote\$3 near3 (database or file or content) near2 server with (charge or fee) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:03
L19	3080	remote\$3 near3 (database or file or content) near2 server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:03
L20	16	remote\$3 near3 (database or file or content) near2 server with attribute and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:05
L21	4	distributed adj (file or database) with remote\$3 with (manag\$ or control\$3) with central\$3 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:06
L22	84	distributed adj (file or database) with remote\$3 with (manag\$ or control\$3) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:06

L23	33	distributed adj (file or database) with remote\$3 with (manag\$ or control\$3) with server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:06
L25	40	intermedia\$ with (manag\$ or control\$3) with database with retriev\$ and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:47
L26	11	(metadata or attribute) near2 server with distributed adj (file or database) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 10:49
L27	38	central\$4 with (manag\$3 or control\$3) with distributed adj (file or database) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:02
L28	1	process\$3 with redirect\$3 with request with database adj server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:03
L29	245	retriev\$ with request with database adj server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:03
L30	1	retriev\$ with request with behalf with database adj server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:04
L31	216	central adj database adj server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:04
L32	2	central adj database adj server with (attribute or metadata) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:06
L33	12	distributed with database adj server with (attribute or metadata) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:12
L34	209	database with access with (manag\$3 or control\$3) with (attribute or metadata) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:13
L35	0	database with access with (manag\$3 or control\$3) with (attribute or metadata) with behalf and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:13

L36	36	database with access with (manag\$3 or control\$3) with (attribute or metadata) with (plural\$ or multiple) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:16
L37	19	access with (manag\$3 or control\$3) with (attribute or metadata) with (plural\$ or multiple) near (database or storage) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:18
L38	1170	(manag\$3 or control\$3) near2 (plural\$ or multiple) near (database or storage) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:18
L39	342	(manag\$3 or control\$3) adj (plural\$ or multiple) near (database or storage) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 11:18
L40	44	(manag\$3 or control\$3) adj (plural\$ or multiple) near (database or storage) with access and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:20
L41	741	(metadata or attribute) with (plural\$3 or multiple) near2 (database or storage) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:20
L42	25	(metadata or attribute) with (plural\$3 or multiple) near2 (database or storage) with distributed and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:42
L43	5	charge with fee with database with retriev\$3 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:42
L44	237	charge with fee with database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:42
L45	42	charge with fee with database with server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:44
L46	0	(fee or charge) with distributed adj database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:45
L47	43	(fee or charge) with distributed with database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:45

L48	263832	(fee or charge) with distributed near2 database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:45
L49	6	(fee or charge) with distributed near2 database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:45
L50	547	(fee or charge) with database with access and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:45
L51	12	(fee or charge) with database with access with (data or file) with usage and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:50
L53	38	process\$3 with query with behalf and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 12:53
L54	13	handl\$3 with client with request with distributed adj (file or database) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:07
L55	0	handl\$3 with client with request with modif\$5 with distributed adj (file or database) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:08
L56	1	handl\$3 with client with request with modif\$5 with database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:08
L57	25	server with query with client with handle with database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:19
L58	1303	database with query with update and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:19
L59	27	database with query with update with distributed and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:20
L60	285	distributed with DBMS and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:20

L61	0	distributed with DBMS with single with server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:21
L62	55	DBMS with single with server and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:21
L63	17	DBMS near2 (plural\$ or multiple) near2 (database) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 13:22
L64	51	central\$5 adj2 database adj manag\$ adj system and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:17
L65	23	database with attribute with encryption and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:27
L66	1	database with metadata with encrypt\$3 with retriev\$ and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:28
L67	0	DBMS with retriev\$3 with encrypt\$3 near2 (data or file) with (metadata or attribute) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:28
L68	2	database with retriev\$3 with encrypt\$3 near2 (data or file) with (metadata or attribute) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:29
L69	66	database with retriev\$3 with encrypt\$3 near2 (data or file) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:29
L70	14	database with (metadata or attribute) with encrypt\$3 near2 (data or file) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:35
L71	789	database with encrypt\$3 near2 (data or file) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:35
L72	93	database with management with encrypt\$3 near2 (data or file) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:40

L73	41	database with (attribute or metadata) with encrypt\$ and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:49
L74	8	encrypt\$3 adj2 retriev\$4 near2 data with database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:52
L75	1	(database) near2 (attribute or metadata) near2 encrypt\$3 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:52
L76	4	(database) near2 (attribute or metadata) with encrypt\$3 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:52
L77	8	(database) near4 (attribute or metadata) with encrypt\$3 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:53
L78	4	77 not 76	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:53
L79	41	(database) with (attribute or metadata) with encrypt\$3 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:53
L80	41	79 not 78	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:54
L81	37	79 not 78	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:56
L82	2	"20020069355".pn. and encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 14:59
L83	168	encrypt\$3 near attribute and encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:00
L84	168	encrypt\$3 near attribute	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:00

L85	123	encrypt\$3 near attribute and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:06
L86	0	database adj management adj system with calculate with usage with charge and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:06
L87	1	database adj management adj system with fee with charge and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:07
L88	12	database adj management adj system with (fee or charge) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:08
L89	108	database adj server with (fee or charge) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:08
L90	15	database adj server with calculat\$ with (fee or charge) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:08
L91	29	database with usage with calculat\$ with (fee or charge) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:14
L92	36	database with stor\$3 adj fee and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:14
L93	1252	database near3 (fee or charge) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:14
L94	345	database near (fee or charge) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:15
L95	180	database near (fee or charge) and database.ab. and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:18
L96	48	database with (fee or charge) with size and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:19

L97	1121	storage with (fee or charge) with size and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:19
L98	7	database with storage with (fee or charge) with size and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:20
L99	1773	"705".clas. and database near2 storage and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:20
L100	56	"705".clas. and database near2 storage.ab. and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:21
L101	0	database with (charge or fee) with volumne and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:21
L102	372	database with (charge or fee) with amount and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:21
L103	7	database with (charge or fee) with amount near3 memory and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:25
L104	0	database adj server with fee adj server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:26
L105	5	database with fee adj server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:26
L106	29	database with (fee or charge) adj server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:28
L107	252	database with (fee or charge) adj database and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:28
L108	252	(fee or charge) adj database and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:28

L109	1	(fee or charge) adj database with meter\$4 with usage and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:28
L110	6	(fee or charge) adj database with usage and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:31
L111	7	(fee or charge) near database with usage and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:31
L112	1123	database with server with (billing or fee) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:32
L113	387	database with server near3 (billing or fee) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:32
L114	231	database near4 server near3 (billing or fee) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:32
L115	2	database near4 server near3 (billing or fee) and DBMS and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:32
L116	16	database near4 server near3 (billing or fee) and DATABASE ADJ MANAGEMENT and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:33
L117	834	database near (billing or fee) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:33
L118	58	fee adj server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:33

L119	31	(US-20030225972-\$ or US-20020087347-\$ or US-20040015701-\$ or US-20020099797-\$ or US-20030046281-\$ or US-20030158847-\$ or US-20030018607-\$ or US-20030172089-\$ or US-20030033308-\$ or US-20020169745-\$ or US-20030204856-\$ or US-20040054665-\$ or US-20020107876-\$ or US-20020161757-\$ or US-20020152121-\$ or US-20030065646-\$ or US-20020073189-\$ or US-20020116457-\$ or US-20020104002-\$ or US-20020174352-\$ or US-20030065642-\$ or US-20020069355-\$).did. or (US-6807572-\$ or US-5721908-\$ or US-5826268-\$ or US-6681227-\$ or US-6052785-\$ or US-5668986-\$ or US-5410598-\$).did. or (GB-2399197-\$ or US-6829610-\$). did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/06/24 15:34
L120	8	119 and (fee or charge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:35
L121	3	119 and (fee or charge) with database	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:45
L122	10	119 and replica\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 15:45
S1	4	"2003046369".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:35
S2	2	"20030046369".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:35
S3	2	"20010029507".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:43

S4	544	intermedia\$4 with server with database and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:44
S5	84	intermedia\$4 with server with database with manages and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:45
S6	130	intermedia\$4 with server with database.ab. and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:45
S7	1	intermedia\$4 with server with database with attribute .ab. and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:45
S8	4	intermedia\$4 with server with database with attribute and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:47
S9	0	intermedia\$4 with server with database with access with control4 and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:47
S10	7	intermedia\$4 with server with database with access with control\$4 and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:51
S11	25	intermedia\$4 with server with database and manag\$5 with attribute and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:03
S12	2	"20030225972".pn. and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:55
S13	2	"20030025972".pn. and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 13:55
S14	5	intermedia\$4 with server with database with rule and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:05
S15	94	intermedia\$4 with server with database with manag\$6 and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:15

S16	137	intermedia\$ with manag\$3 with data\$base and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:16
S17	15	intermedia\$ with manag\$3 with data\$base with access and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:19
S18	1549390	intermedia\$ wiuth database with access with control\$5 and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:20
S19	27	intermedia\$ with database with access with control\$5 and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:23
S20	8069	database with access with control\$5 and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:23
S21	10	database with access with control\$5 with server with attribute and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:26
S22	6	intermediate with server with manag\$ with access with database and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:27
S23	193	database adj server with management adj server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:31
S24	0	database adj server with management adj server with intermediate and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:31
S25	0	database adj server with management adj server with attribute and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:31
S26	4	database adj server with management adj server with rule and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:35
S27	193	database adj server with management adj server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:35

S28	2	database adj server with management adj server with access with control\$4 and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:39
S29	2	"20020032835".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:45
S30	260	file with management with information with server with database and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:46
S31	2	file adj management adj information with server with database and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:49
S32	1	"20040015520".pn. and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:54
S33	0	intermediate near3 database near3 server with process with query and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:55
S34	1	intermediate near3 database near3 server with query and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:55
S35	76	intermediate near3 database near3 server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:58
S36	7994	manag\$5 near3 database with server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 14:58
S37	25	manag\$5 near3 database with server with intermediate and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:08
S38	1044	manag\$ near3 (plural\$ or multiple) near3 database and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:08
S39	12	manag\$ near3 (plural\$ or multiple) near3 database with attribute and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:10

S40	216	manag\$ near3 (plural\$ or multiple) near3 database with server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:10
S41	4	manag\$ near3 (plural\$ or multiple) near3 database with server with intermedia\$ and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:10
S42	4	manag\$ near3 (plural\$ or multiple) near3 (database or (data adj storage)) with server with intermedia\$ and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:11
S43	218	manag\$ near3 (plural\$ or multiple) near3 (database or (data adj storage)) with server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:11
S44	1	manag\$ near3 (plural\$ or multiple) near3 (database or (data adj storage)) with server and process with request with behalf and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:49
S45	316	database adj manag\$ adj server and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:49
S46	25	database adj manag\$ adj server with access and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 15:59
S47	0	manag\$3 near2 (data or file) near4 another with (computer or server or database) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:00
S48	0	manag\$3 near2 (data or file) with another with (computer or server or database) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:00
S49	0	manag\$3 with (data or file) with another with (computer or server or database) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:00
S50	34043	manag\$3 with (data or file) with (computer or server or database) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:00
S51	14119	manag\$3 near2 (data or file) with (computer or server or database) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:00

S52	55	manag\$3 near2 (data or file) with (computer or server or database) with intermedia\$ and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:13
S53	27	file adj server with access with control\$5 with database and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:19
S54	207	database adj server with updat\$3 with client and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:19
S55	0	database adj server with updat\$3 with client with behalf and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:20
S56	0	database adj server with updat\$3 with client with attribute and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:23
S57	635	manag\$3 with (database or ((data or file)adj stor\$3)) with process with (query or request) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:25
S58	11	manag\$3 with (database or ((data or file)adj stor\$3)) with process with (query or request) with behalf and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:28
S59	342	intermediat\$ with (database or file) with (server or manag\$) with (retriev\$3 or process\$3 or forward\$3) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:29
S60	342	intermediat\$ with (database or file) with (server or manag\$) with (retriev\$3 or process\$3 or forward\$3) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:32
S61	15197	(database or file) adj (server or manag\$) with (retriev\$3 or process\$3 or forward\$3) and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:32
S62	32	(database or file) adj (server or manag\$) with (retriev\$3 or process\$3 or forward\$3) with behalf and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:36
S63	5	(transmit\$3 or send\$3) adj2 request with server with database with behalf and @aD<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:37

S64	359	central\$3 with server with manag\$3 with database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:37
S65	56	central\$3 near3 server near3 manag\$3 near4 database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:38
S66	85	server near3 manag\$3 near3 (plural\$3 or multiple) near4 database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 16:38
S67	69	(receiv\$3 or accept\$3) with request with server with database with (metadata or attribute) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 17:53
S68	8	database with manag\$3 with server with redirect\$5 and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 17:57
S69	16	database adj server with (manag\$3 or control\$3) near2 (plural\$3 or multiple) near3 (database) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 18:00
S70	791	"713".clas. and database.ab. and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 18:00
S71	72	"713".clas. and database with retriev\$3.ab. and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 18:01
S72	130	"713".clas. and database with manag\$.ab. and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 18:01
S73	3	"713".clas. and database with manag\$ with (metadata or attribute).ab. and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 18:02
S74	13	(manag\$3 or control\$3) near2 (plural\$5 or multiple) near3 database with (metadata or attribute) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 18:04
S75	1429	remot\$3 near2 (control\$4 or manag\$5) with database and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 18:04

S76	0	remot\$3 near2 (control\$4 or manag\$5) with database with (retriev\$3 with redirect\$3) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 18:05
S77	97	remot\$3 near2 (control\$4 or manag\$5) with database with (retriev\$3 or redirect\$3) and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/23 18:05
S78	4	remot\$3 near2 (control\$4 or manag\$5) with database with intermedia\$ and @ad<="20030327"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/24 09:25